

# Hand Pumps

## Choosing a GPI Hand Pump

At GPI we've improved our selection of hand pumps to fit nearly every customer application. All of our hand pumps are portable, install quickly, and reduce lifting and messy fluid transfer. All you have to do is decide which method of transfer you prefer.

### Choosing the Best GPI Hand Pump!

Basic Hand Pumps are portable and easy to install.

- **CP-5** Container Pump.
- **BP-10** Plunger Handle Barrel Pump.
- **BP-12** Lever Handle Barrel Pump.
- **LP-50** Lever Pump.

Rotary Hand Pumps deliver 8 to 10 gallons per 90 to 100 revolutions.

- **RP-5** Rotary Hand Pump.
- **RP-10** Rotary Hand Pump.

Deluxe Hand Pumps move fluid on both the push and pull stroke for the fastest fuel transfer in the hand pump line.

- **HP-90** Economy Hand Pump.
- **HP-100**<sup>®</sup> Premium Hand Pump.

Still need help matching the best GPI pump to your application? Contact GPI Customer Service for expert advice.

**Call 1-800-835-0113**

## PREMIUM HAND PUMP



**HP-100-UL DUAL-FLO<sup>®</sup>**  
(114000-10)

**UL MODEL AVAILABLE**

**HP-100-NUL DUAL-FLO<sup>®</sup>** (114000-5)

The **HP-100 Dual-Flo<sup>®</sup>** Hand Pump is a premium hand pump that is reliable and versatile.

For high-volume fuel transfer, use the high-handle position: the **HP-100** generates twice the flow of any other hand pump. For heavier fluids or for easier pumping, use the second stroke setting. In either handle position, expect economical, trouble-free operation.

Use with gasoline (alcohol blends E15), diesel fuel (biodiesel blends B20) and kerosene.

- Delivers up to 50 gallons per 100 strokes.
- Lightweight corrosion-resistant aluminum construction.
- Complete and ready to install.
- Comes with 8 ft. of 3/4" hose.
- UL Listed model available.
- Built-in anti-siphon valve.



## ECONOMY HAND PUMP

**HP-90 (131000-1)**

GPI offers a full line of hand pumps. The **HP-90** is our latest economy hand pump with a dual-action piston to pump fluid on both the push and pull strokes for fast fueling.

This reliable hand pump is compatible with a wide variety of petroleum products and fits a 2-inch NPT bung.



- Includes 8 inch x 3/4 inch hose, plastic nozzle with built-in nozzle holder, and 2-piece PVC suction pipe.
- Lightweight aluminum housing.
- Built-in anti-siphon valve.

Use with up to 90 wt oil, gasoline (alcohol blends E15), diesel fuel (biodiesel blends B20) and kerosene.



**ROTARY HAND PUMP**
**RP-10-UL (123000-06)**

The **RP-10** Rotary Hand Pump is rugged simplicity in action, with extra efficiencies in field transfer of gasoline and up to medium weight oils. Designed for use with portable tanks, drums or barrels, this self-priming pump provides 10 gallons per 100 revolutions.

The RP-10 is the perfect pump for construction, agriculture, and other industries where maximum productivity and maximum portability are important.

- Strainer and anti-siphon valve built in.
- Lightweight but extremely durable aluminum housing to resist scratches and corrosion.
- Includes nozzle hanger and handle-locking tab for convenience and security.
- Comes with 8 feet of 3/4 inch hose.
- UL Listed.



Use with gasoline (alcohol blends E15), diesel fuel (biodiesel blends B20) and kerosene.

**ROTARY HAND PUMP**


Use with lightweight oils, hydraulic fluids, diesel fuel and kerosene.

**RP-5 LEVER PUMP (129003-1)**

Looking for a light-duty Rotary Hand Pump that fits a standard 55-gallon barrel? The **RP-5** is GPI's economical model for light-duty in a rotary hand pump.

This pump comes complete, requiring no special tools and installs in minutes.

- Mounts on a standard 55-gallon barrel with 2 inch NPT bung.
- Includes adjustable spout and easy spin handle.
- Built-in strainer prevents damage from contaminants.
- 90-day warranty.

**LEVER PUMP**
**LP-50 LEVER PUMP (129000-1)**

The **LP-50** is designed to fit tanks or 55-gallon barrels with 2 inch NPT threads. The unique linkage and shaft design of the **LP-50** ensures a smooth and easy stroke. This design eliminates side load, shaft binding, or seal leakage seen in other lever pumps.

- Rugged construction of Acetal and ABS.
- Polypropylene and Viton® wetted parts for fluid compatibility.
- Mounts easily on tanks or 55-gallon barrels with 2 inch NPT threads.
- Adjustable suction pipe included.
- 90-day warranty.

**DO NOT** use with kerosene or flammable fluids.



Use with water, windshield washer fluid, antifreeze, petroleum products and agricultural chemicals including Roundup®.

## LEVER HANDLE

**BP-12 BARREL PUMP (129010-1)**

The **BP-12** Lever Handle Barrel Pump has durable steel construction and an adjustable lever pivot for heavy liquids. This pump works great with either NPT or Buttruss threads.

- Durable steel construction.
- Designed for up to 55-gallon barrels.
- 90-day warranty.

Use with lightweight petroleum products, kerosene, oils, and antifreeze.

## PLUNGER HANDLE

**BP-10 BARREL PUMP (129020-1)**

The **BP-10** Plunger Handle Barrel Pump comes with a detachable spout with optional connection to a common garden hose.

- Durable steel construction.
- Designed for up to 55-gallon barrels.
- 90-day warranty.



Use with lightweight petroleum products, oils, transmission fluid and hydraulic fluid.

## CONTAINER PUMP

**CP-5 (129002-1M12)**

You can't imagine a more versatile pump than our 5-gallon **Pail Pump**. Transfer fluids from standard 5-gallon pails using this handy pump weighing less than a pound.

The Pail Pump makes easy work out of transferring hydraulic fluid, transmission fluid and motor oil. No more heavy lifting or messy pouring and cleanup is a snap.

- Lightweight, PVC housing.
- Installs quickly, just use pliers to secure into place.
- Pumps 8 fluid ounces per stroke.
- Everything you need in a convenient poly bag.
- 12 pumps per carton
- 90-day warranty.

Use with hydraulic fluid, transmission fluid and motor oil.